


1 PLUMBING - SANITARY FLOOR PLAN 1/4" = 1'-0"



KEY NOTES:

- EXISTING SANITARY MAIN BELOW FLOOR. PLUMBING CONTRACTOR SHALL FIELD VERIFY EXACT LOCATION AND INVERTS PRIOR TO THE INITIATION OF ANY WORK.
- CONNECT NEW SANITARY PIPING TO EXISTING SANITARY MAIN BELOW GRADE. PLUMBING CONTRACTOR SHALL SAN-CUT SLAB AS REQUIRED TO FACILITATE THE INSTALLATION OF THE NEW UNDERGROUND SANITARY SERVICE. BACKFILL AND FINISH FLOOR TO MATCH NEW FINISHED FLOOR. COORDINATE WITH GENERAL CONTRACTOR.
- MANICURE/FEDURE CHAIRS TO BE DIRECTLY CONNECTED INTO SANITARY WASTE SYSTEM. PLUMBING CONTRACTOR TO COORDINATE WITH MANIPEDI CHAIR DRAWINGS REQUIREMENTS AND WITH OWNER PRIOR TO INSTALLATION.

GENERAL NOTES:

- CONTRACTOR SHALL INVESTIGATE THE AGE AND CONDITION OF ALL PIPING TO REMAIN. IF PIPING CONDITION IS NOT SUITABLE FOR REUSE, THE CONTRACTOR SHALL NOTIFY THE ENGINEER PRIOR TO THE COMMENCEMENT OF WORK.
- FIELD VERIFICATION OF EXISTING PIPING: ALL EXISTING PIPING SHOWN ON THE CONSTRUCTION DOCUMENTS IS BASED OFF OF THE SITE INVESTIGATION AND AS BUILT DRAWINGS OF THE EXISTING SITE AND BUILDING CONSTRUCTION. THE ENGINEER WAS NOT ABLE TO PERFORM ANY SELECTIVE INVESTIGATORY DEMOLITION. THE LICENSED PLUMBING CONTRACTOR SHALL FIELD VERIFY ALL EXISTING PIPING LOCATIONS, TYPES, SIZES, ELEVATIONS AND PIPING INVERTS. NOTIFY ENGINEER IF THE CONDITIONS ARE NOT AS SHOWN ON THE PLANS OR AS STATED IN THE SPECIFICATIONS PRIOR TO THE INITIATION OF WORK. IDENTIFICATION AND VERIFICATION OF EXISTING PIPING TO BE ACCOMPLISHED BY THE FOLLOWING MEANS:
 - MANDATORY DYE TESTING OF ALL EXISTING SANITARY PIPING FOR SYSTEM IDENTIFICATION.
 - SNAKE ALL SANITARY PIPING FOR A DISTANCE OF 100 FEET AND REPORT ANY BLOCKAGES.
 - TEST WATER PRESSURE TO INSURE MINIMUM PSI MATCHES MOST DEMANDING EQUIPMENT SUPPLIED OR TO BE INSTALLED.
 - ALL IDENTIFICATION AND VERIFICATION RESULTS SHALL BE SUBMITTED TO THE A/E FOR REVIEW PRIOR TO THE INITIATION OF WORK.

INTERPLAN
 ARCHITECTURE
 ENGINEERING
 INTERIOR DESIGN
 PROJECT MANAGEMENT
 F-3219
 6815 MANHATTAN BOULEVARD SUITE 115
 FORT WORTH, TEXAS 76120
 PH 682.747.5054

SEAL: [Signature Area]
 ADAM J. BARNEY
 P.E. #114539

Joseph Lawrence & Co
 Space Coastal
 Consulting Engineers
 317 RIVERIDGE BLVD SUITE 110
 COCOA, FLORIDA 32922
 TEL 321.972.4466
 WWW.JL&C.COM
 CA NO. 32770
 JSC19.015.00

NO	DATE	REMARKS

**WOODHOUSE DAY SPA
 RENOVATION**
 MARKET STREET
 9595 SIX PINES DRIVE
 THE WOODLANDS, TEXAS 77680

PROJECT NO: 2019.01.72
 DATE: APRIL 08, 2019

P1.0

CHECKED: LMS DRAWN: PJR

COPYRIGHT © 2019 INTERPLAN, LLC. ALL RIGHTS RESERVED. THESE DOCUMENTS TO THE ORIGINAL, SET OR IMPROVE COPY WHICH THE WERE PREPARED. REPRODUCTION, CHANGES OR ASSIGNMENTS ARE PROHIBITED.